This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



The Delphion Integrated View

· ii		
,		Create new Work F
į.	Get Now: PDF More choices Tools: Add to Work Fil	e: '
i,		
يبا ر	<u> </u>	
		.,
7		The sale of the sale same, and the sale
1.3		
1 1	Top Ţ Go I	
4	View: INPADOC Jump to: Go to: Derwent	⊠ <u>€</u>
		,
	化浸水 化氯化铁 医多种性 医神经 医神经 医神经性 医皮肤 医皮肤 医皮肤 医皮肤 化二甲基苯酚	
1		31 (8.1.)

∜ Title: JP4308524A2: DETERGENT COMPOSITION

Derwent Title: Detergent compsn. having good styling performance - contains sugar-based

nonionic surfactant and water-soluble chitin [Derwent Record]

Country: JP Japan Country:

- 5 - 4 - 6 - 6

化重磁 化基金增长

RIYUU KORESADA; **MURAI MICHIKO**;



§ Published /

1992-10-30 / 1991-04-05

Filed:

Application

JP1991000073221

Number:

A61K 7/075;

Priority

1991-04-05 JP1991000073221

Number:

Abstract:

8-4 × 8-8 8 8 8 8

PURPOSE: To provide a detergent composition containing a sugar-based nonionic surfactant and a water-soluble chitin derivative and giving low irritation to the skin and excellent springiness, body and voluminous feeling to the hair when used for the shampooing of scalp and hair.

CONSTITUTION: The objective composition contains (A) 5-20wt.% of a sugar- based nonionic surfactant, e.g. an alkyl saccharide surfactant of formula I (R1 is 6-18C alkyl, alkenyl or alkylphenyl; R2 is 2-4C alkylene; G is 5-6C reducing sugar; (m) is 0-10; (n) is 0-10) or a sugar-amide surfactant of formula II (R3 is 5-17C alkyl, alkenyl or alkylphenyl; R4 is H, 1-18C alkyl, alkenyl, etc.; X is polyhydroxyalkyl consisting of 4-30C sugar residue) and (B) 0.001-10wt.% of a water-soluble chitin derivative, e.g. a water-soluble oligomer produced by depolymerizing chitin or chitosan, a water-soluble chitosan having a deacetylation degree of 40-60% or a derivative made to be water-soluble by the introduction of hydrophilic group.

COPYRIGHT: (C)1992,JPO&Japio

INPADOC Legal Status:

None

Get Now: Family Legal Status Report

Family:

Show 2 known family members

Other Abstract

CHEMABS 118(18)175497Z CAN118(18)175497Z DERABS C92-411555

DERC92-411555 Info:







